

# CONDENSATE DRAIN SELECTION CHART



*Start your selection and determine which drain best suits your application. Choose your application and then click on the buttons below to view the condensate drain options:*

- Up to 350 CFM compressor capacity
- Max. 230 psi

**COMPRESSOR  
AFTERCOOLER  
RECEIVER**

Up to 350 CFM compressor capacity, max. 230 psi

**DRYER**

Up to 350 CFM compressor capacity, max. 230 psi

**FILTER AND DRIP LEGS**

Up to 350 CFM compressor capacity, max. 230 psi

- Up to 3500 CFM compressor capacity
- Max. 230 psi

**COMPRESSOR  
AFTERCOOLER  
RECEIVER**

Up to 3500 CFM compressor capacity, max. 230 psi

**DRYER**

Up to 3500 CFM compressor capacity, max. 230 psi

**FILTER AND DRIP LEGS**

Up to 3500 CFM compressor capacity, max. 230 psi

- **HIGH PRESSURE APPLICATIONS** up to 7250 psi

**COMPRESSOR  
AFTERCOOLER  
RECEIVER  
DRYER  
FILTER AND DRIP LEGS**


up to 7250 psi

[Back to website](#)

**THE CONDENSATE MANAGEMENT SPECIALIST**

**COMPRESSOR - AFTERCOOLER – RECEIVER SOLUTIONS**

(Up to 350 CFM compressor capacity, max. 230 psi)




\*Alarm (potential free contacts) available in N/O and N/C, please specify in your inquiry.

[BACK TO MAIN SELECTION CHART](#)


# COMPRESSOR - AFTERCOOLER – RECEIVER SOLUTIONS

(Up to 3500 CFM compressor capacity, max. 230 psi)



\*Alarm (potential free contacts) available in N/O and N/C, please specify in your inquiry.


[BACK TO MAIN SELECTION CHART](#)



\*Alarm (potential free contacts) available in N/O and N/C, please specify in your inquiry.

**DRYER SOLUTIONS**

(Up to 3500 CFM compressor capacity, max. 230 psi)



\*Alarm (potential free contacts) available in N/O and N/C, please specify in your inquiry.

[BACK TO MAIN SELECTION CHART](#)



# FILTER AND DRIP LEGS SOLUTIONS

(Up to 350 CFM compressor capacity, max. 230 psi)



## FILTER AND DRIP LEGS

LEVEL SENSING DRAIN?

NO



OR



YES

ELECTRONIC?

NO



OR



YES

REMOTE ALARM FUNCTION?

NO



YES



*\*Alarm (potential free contacts) available in N/O and N/C, please specify in your inquiry.*

[BACK TO MAIN SELECTION CHART](#)

# FILTER AND DRIP LEGS SOLUTIONS

(Up to 3500 CFM compressor capacity, max. 230 psi)



\*Alarm (potential free contacts) available in N/O and N/C, please specify in your inquiry.

[BACK TO MAIN SELECTION CHART](#)

COMPRESSOR  
AFTERCOOLER  
RECEIVER  
DRYER  
FILTER

LEVEL SENSING DRAIN?

NO

HEAVY CONTAMINATION?

NO

YES

YES



**OPTIMUM-HP-S**  
Electronic timer drain HIGH PRESSURE\*

*\*- Up to 7250 psi (see specifications on valve!).  
- Brass and Stainless steel valve constructions, depending on pressure and application.*



**TEC-44 (max. 600 psi)**  
Unblockable motorized ball valve



**SMART-GUARD-HP (max. 725 psi)**  
Electronic zero air loss drain\*

*\*Alarm (potential free contacts) available in N/O and N/C, please specify in your inquiry.*

[BACK TO MAIN SELECTION CHART](#)